SAFETY DATA SHEET Product Name: Acidified Copper Sulfate

SECTION I CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Acidified Copper Sulfate Product EZP001

Formula: Mixture Molecular Weight: Mixture Chemical Name: Mixture Chemical Family: Mixture

Synonyms:

Product Use: Supplement for animal drinking water.

MANUFACTURER INFORMATION:

EZ Pak, LLC PO Box 185 Jefferson, GA 30549 Inquiry (706)-367-7394) <u>DISTRIBUTOR INFORMATION:</u> Clear View Enterprises, LLC 451 Agnes

Tontitown, AR 72770 Inquiry (866)-361-4689

Emergency Telephone ChemTel 800-255-3924 (Contract MIS0004963)

Formula ID Number: EZP001 Original Preparation Date: 5-24-2010

Date Updated: 7-24-2015 Version SDS-001-CVE-FV 1.0

SECTION II HAZARDS IDENTIFICATION

Emergency Overview

GHS Hazard			
Hazard Class	:	Hazard Categories	
Acute Toxicity, Oral	:	Category 4 – Harmful if swallowed	
Acute Toxicity, Dermal		Category 5 – May be harmful in contact with skin	
Skin Irritation		Category 2 Irritant – Causes skin irritation	
Eye Irritation		Category 2A Irritant – Causes serious eye irritation	
Acute Aquatic Toxicity		Category 1 – Very toxic to aquatic life	
Chronic Aquatic Toxicity		Category 1 – Very toxic to aquatic life with long lasting effects	

Identity:

Product Name: Acidified Copper Sulfate

PRODUCT NUMBER: EZP001 Version SDS-001-CVE-FV 1.0





Pictograms:

Signal Word	:	Danger
Physical Hazards	:	None
Health Hazards	H302	Harmful if swallowed
	H313	May be harmful in contact with skin
	H315	Causes skin irritation.
	H319	Causes serious eye irritation
Environmental Hazards	H400	Very toxic to aquatic life.
	H410	Very toxic to aquatic life with long lasting effects.
Precautionary Statements	P301	IF SWALLOWED P310: Immediately call the National POISON
	P310	CENTER at 800-222-1222 or doctor/physician. Do NOT induce
	P331	vomiting
	Dooo	IF ON OKINI (as Lat') Dans a /Falla a // tag as l'atal all
	P303	IF ON SKIN (or hair): Remove/Take off immediately all
	P361	contaminated clothing. Rinse skin with water/shower.
	P353	IF INITIAL FD. Demove victim to freely air and keep at rest in a
	P304 P340	IF INHALED: Remove victim to fresh air and keep at rest in a
	P340	position comfortable for breathing.
	P305	IF IN EYES: Rinse cautiously with water for several minutes.
	P351	
	P306	IF ON CLOTHING: Remove/Take off immediately all contaminated
	P361	clothing.
		ŭ
	P370	IN CASE OF FIRE: Use foam, carbon dioxide, dry chemical to
		extinguish fire
	P376	Stop leaks if safe to do so.
Storage Statements	P403	Store in a well-ventilated place.
Disposal Statements	P501	Dispose of contents/container in accordance with local, regional,
		national or international regulations

SECTION III COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS#	Wt %	OSHA PEL	ACGIH TLV	Other-Oral
					LD ₅₀
Copper (II) Sulfate,	7758-99-8	>82			
Pentahydrate					
Citric Acid	77-92-9	<18			

Component Related Regulatory Information:

This product may be regulated, have exposure limits or other information identified as the following: Copper (7440-50-8) and inorganic compounds such as Cu, Copper (7440-50-8) dusts and mists, as Cu.

PRODUCT NUMBER: EZP001 Version SDS-001-CVE-FV 1.0

PAGE 3 0F 12

SECTION IV FIRST AID MEASURES

EMERGENCY OVERVIEW – HAZARD STATEMENTS – POTENTIAL HEALTH EFFECTS			
Emergency Overview	R25 R36/37/38	Copper Sulfate Pentahydrate is a blue crystalline or powdered, odorless solid. Toxic if swallowed Irritating to eyes, respiratory system and skin Fire may produce irritating, corrosive and/or toxic fumes. Firefighters should wear full protective equipment and clothing	
Hazard Statements	H302 H313 H315 H319 P261 P262 P264 P233 P271	Harmful if swallowed May be harmful in contact with skin Causes skin irritation. Causes serious eye irritation Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. Keep container tightly closed. Use only outdoors or in a well-ventilated area	
Potential Health Effects: Eyes		Dusts or solution of this product may cause redness and pain. Prolonged contact may cause conjunctivitis, ulceration and corneal abnormalities.	
Potential Health Effects: Skin		May cause irritation of skin with pain, itching and redness. Severe overexposure may cause skin burns. Prolonged exposure may cause dermatitis and eczema.	
Potential Health Effects: Ingestion Potential Health Effects: Inhalation		Harmful or fatal if swallowed. May cause gastrointestinal irritation with symptoms such as nausea, vomiting, and diarrhea. Dusts may irritate nose, throat, and respiratory tract. Symptoms may include sore throat, coughing, and shortness of breath. In severe cases, ulceration and perforation of nasal septum may occur.	

FIRST AID MEASURES			
First Aid: Eyes	In case of contact with eyes, rinse immediately with plenty of water for at least 20 minutes. After the first 5 minutes remove contact lens (if present) and continue to rinse for 15 more minutes. Seek immediate medical attention.		
First Aid: Skin	Remove all contaminated clothing. For skin contact, wash thoroughly with soap and water. Wash contaminated clothing before reuse. Seek medical attention if irritation develops or persists.		
First Aid: Ingestion	DO NOT INDUCE VOMITING. Have victim rinse mouth thoroughly with water, if conscious. Never give anything by mouth to a victim who is unconscious or having convulsions. Contact a physician or Poison Control Center (1-800-222-1212 in USA) immediately.		
First Aid: Inhalation	Remove source of contamination or move victim to fresh air. If breathing has stopped, apply artificial respiration. Get immediate medical attention.		
First Aid: Notes to Physician	Special forms of treatment and immediate medical attention are not specified. Treat symptomatically		

PRODUCT NUMBER: EZP001 Version SDS-001-CVE-FV 1.0

PAGE 4 0F 12

SECTION V FIRE FIGHTING MEASURES

FIRE FIGHTING MEASURES			
General Fire Hazards:	Copper Sulfate Pentahydrate is not combustible, but may decompose in the heat of a fire and liberate corrosive and/or toxic fumes. Citric Acid poses a serious dust explosion hazard. Citric acid can burn. Citric acid is a slight fire hazard when exposed to heat or flames		
Hazardous Combustion Products:	Sulfur oxides, copper fumes, oxides of carbon. Irritating fumes and acrid smoke.		
Extinguishing Media:	Water, Water Fog, Foam, Carbon Dioxide, Dry Chemical. Use extinguishing measures that appropriate to local circumstances and environment. Unsuitable Extinguishing Media: None known		
Fire Fighting Equipment/Instructions	As with any fire, wear full face coverage self-contained breathing apparatus and full protective gear. Evacuate nonessential personnel from area to prevent human exposure to fire, smoke, fumes or products of combustion. Water runoff from firefighting may contain product residues, dike to prevent runoff from contaminating water supplies. Runoff may be corrosive and/or toxic and/or cause pollution.		
NFPA (USA):	NFPA: Health 2; Flammability 1; Stability and Reactivity 0; Physical Hazard – Wear protective equipment.		

SECTION VI ACCIDENTIAL RELEASE MEASURES

ACCIDENTIAL RELEASE MEASURES				
Containment Procedures:		Stop flow of material, if this can be done without risk. Contain		
		discharged material. Sweep up spilled material.		
Clean-Up Procedures:		Wear appropriate protective equipment and clothing during clean- up. Shovel material into waste container. Seal the container and handle in a safe manner. Thoroughly wash the area after a spill or leak clean-up. Prevent spill rinsate from contaminating storm drains, sewers soil, or groundwater.		
Evacuation Procedures:	P501	Evacuate the area promptly and keep upwind of the spilled material. Isolate the spill area to prevent people from entering. Keep materials which can burn away from spilled material. In case of large spills, follow all facility emergency response procedures. Dispose of contents/container in accordance with local, regional, national or international regulations		
Special Procedures:		Remove soiled clothing and wash before reuse. Avoid all skin contact with the spilled material. Have emergency equipment readily available.		

PRODUCT NUMBER: EZP001 Version SDS-001-CVE-FV 1.0

PAGE 5 0F 12

SECTION VII HANDLING and STORAGE

HANDLING AND STORAGE
Do not breathe dust. Avoid all contact with skin and eyes. Use this product only with adequate ventilation. Wash thoroughly after handling.
Keep in original container in locked storage area. Keep container tightly closed when not in use. Store container in cool, dry location, away from direct sunlight, sources of intense heat. Material should be stored in secondary containment as appropriate. Store containers away from incompatible chemicals (see Section 10, Stability and Reactivity). Storage areas should be made of fire resistant materials. Post warning and "NO SMOKING" signs in storage and use areas as appropriate. Use corrosion resistant structural materials, lighting, and ventilation systems in the storage area. Floors should be sealed to prevent absorption of this material. Have appropriate fire extinguishing equipment in the storage area (i.e., sprinkler system, portable fire extinguishers). Empty containers may contain residual particles, therefore, empty containers should be handled with care. Do not cut drill, or weld near this container. Do not consume food, beverages, or tobacco products in the storage area. Never store food, feed, or drinking water in containers that held this product. Keep this material away from food, drink, or animal feed. Inspect all incoming containers before storage, to ensure containers are properly labeled and not damaged. Do not store this material in unlabeled containers. Limit quantity of material stored. Store in suitable containers that are corrosion resistant.

SECTION VIII EXPOSURE CONTROL AND PERSONAL PROTECTION MEASURES

EXPOSURE GUIDELINES			
A. General product Information:	Follow the applicable exposure limits.		
B. Component Exposure Limits:	The exposure limits given are for Copper and inorganic compounds, as Cu (CAS 7440-50-8), Copper fume as Cu, or Copper dusts and mists as Cu.		
ACGIH:	1 mg/m³ TWA (dusts & mists)		
OSHA:	1 mg/m³ TWA (dusts & mists)		
NIOSH:	1 mg/m³ TWA (dusts & mists)		

PRODUCT NUMBER: EZP001 Version SDS-001-CVE-FV 1.0

PAGE 6 0F 12

EXPOSURE GUIDELINES (Continued)			
DFG MAKs	1 mg/m³ TWA Peak, 30 minutes, average value (dusts & mists)		
Engineering controls	Use mechanical ventilation such as dilution and local exhaust. Use a corrosion resistant ventilation system and exhaust directly to the outside. Supply ample air replacement. Provide dust collectors with explosion vents.		

Р	ERSONAL PROTECTIVE EQUIPMENT
Personal Protective	Wear safety glasses with side shields (or goggles) and a face
Equipment: Eyes/Face	shield, if this material is to be made into a solution.
Personal Protective	Wear chemically impervious gloves, boots, and coveralls to avoid
Equipment: Skin	skin contact.
Personal Protective	If airborne concentrations are above applicable exposure limits,
Equipment: Respiratory	use NIOSH approved respiratory protection.
The following NIOSH Guidelines for O	Copper dusts and mists as Cu are presented for further information:
Up to 5 mg/m ³	Dust and mist respirator
Up to 10 mg/m ³	Any dust and mist respirator except single use and quarter mask
op 10 11 mg/m	respirators or any SAR
Up to 25 mg/m ³	SAR operated in a continuous flow mode or powered air purifying
·	respirator with a dust and mist filter.
Up to 25 mg/m ³	Air purifying, full face piece respirator with high efficiency
	particulate filter, any powered air purifying respirator with a tight
	fitting face piece and high efficiency particulate filter or full face
	piece SCBA, or full face piece SAR.
Up to 100 mg/m ³	Positive pressure full face piece SAR
Emergency or Planned Entry	Positive pressure full face piece SCBA, or positive pressure full
into Unknown Concentration	face piece SAR with an auxiliary positive pressure SCBA.
of IDLH Conditions:	
Escape	Full face piece respirator with high efficiency particulate filters, or escape type SCBA.
Note: IDLH concentrations for Coppe	er dusts and mists as Cu is 100 mg/m ³
Personal Protective	Eyewash fountain and safety shower available in work area.
Equipment: General	

Protective Clothing Pictograms









Splash Goggles

Gloves

Protective Apron Dust Respirator

Product Name: Acidified Copper Sulfate

Identity:

PRODUCT NUMBER: EZP001 Version SDS-001-CVE-FV 1.0

PAGE 7 0F 12

SECTION IX PHYSICAL/CHEMICAL PROPERTIES

Copper Sulfate Pentahydrate					
Appearance	Blue crystals or powder	Molecular Weight	249.68		
Physical State	Solid	Chemical Formula	CuSO ₄ -5H ₂ O		
Odor	Odorless	Specific Gravity	2.28 @ 15.6°C		
Odor Threshold	N/A	Particle Size	various		
Solubility (water)	31.6 g/100 cc @ 20°C	Bulk density	N/A		
pН	3.7-4.2 (10% soln)	Flash point	Not determined		
Solubility other solvents	Methanol, glycerol, slightly soluble in ethanol	Evaporation Rate	Not determined		
Partition Coefficient	Not determined	Upper Flammable Limit (UEL)	Not determined		
Vapor Pressure	20 torr @ 22.5 °C	Lower Flammable Limit (LEL)	Not determined		
Vapor Density	8.6	Auto Ignition	Not determined		
Freezing/Melting point	150°C	Explosive Properties	Not determined		
Softening Point	N/A	Oxidizing Properties	Not determined		
Boiling Point	Decomposes	Flammability Classification	N/A		
Kinematic Viscosity	Not determined	Rate of Burning	N/A		
Dynamic Viscosity	Not determined	Decomposition Temperature	560 °C decomposes		

Citric Acid				
Appearance	White powder	Molecular Weight	68.02	
Physical State	Solid	Chemical Formula	C ₆ H ₈ O ₇	
Odor	Odorless	Specific Gravity	1.66 @ 20°C	
Odor Threshold	N/A	Particle Size	Powder or crystal	
Solubility (water)	59 g/100 cc @ 20°C	Bulk density	900-980 kg/m ³	
pН	1.8 (5% soln)	Flash point	100°C (212°F)	
Solubility other solvents	ethanol	Evaporation Rate	Not determined	
Partition Coefficient	Not determined	Upper Flammable Limit (UEL)	2.29 kg/m ³ (dust)	
Vapor Pressure	N/A	Lower Flammable Limit (LEL)	0.28-2.3 kg/m ³ (dust)	
Vapor Density	N/A	Auto Ignition	1010°C	
Freezing/Melting point	153°C	Explosive Properties	Not determined	
Softening Point	N/A	Oxidizing Properties	Not determined	
Boiling Point	Decomposes	Flammability	N/A	
		Classification		
Kinematic Viscosity	Not determined	Rate of Burning	N/A	
Dynamic Viscosity	Not determined	Decomposition	175°C	
		Temperature		

Product Name: Acidified Copper Sulfate

PRODUCT NUMBER: EZP001 Version SDS-001-CVE-FV 1.0

PAGE 8 0F 12

SECTION X CHEMICAL STABLITY AND REACTIVITY INFORMATION

CHEMICAL STABLITY AND REACTIVITY INFORMATION				
Chemical Stability	Copper Sulfate Pentahydrate is hydroscopic, but stable when kept			
	dry, under normal temperature and pressures.			
Chemical Stability:	Avoid high temperatures, exposure to air and incompatible			
Conditions to Avoid	materials.			
Incompatibility	Avoid contact with hydroxylamine, magnesium, metal nitrates, reducing agents, and oxidizing agents (eg Sodium Hypochlorite bleach) Copper Sulfate Pentahydrate is incompatible with strong alkalis and phosphates. Potentially explosive reactions with metal nitrates. Citric Acid is incompatible with reducing agents. Citric Acid when wet or in solution is corrosive to brass, copper, zinc. aluminum and their alloys, lead, cast iron and mild steel.			
Hazardous Decomposition	Copper Sulfate Pentahydrate: Sulfur oxides and Copper oxides. Citric Acid; Oxides of carbon. Incomplete combustion may produce irritating fumes and acrid smoke.			
Hazardous polymerization	Will not occur.			

SECTION XI TOXILOGICAL INFORMATION

Identity:

ACUTE AND CH	RONIC TOXICITY FOR COPPER SULFATE PENTAHYDRATE
A. General Product Information	Acute toxicity is largely due to the caustic (alkaline) properties of copper sulfate. Harmful or fatal if swallowed. Product is an eye and skin irritant, and may cause burns. Product is respiratory tract irritant. Dusts may irritate nose, throat, and respiratory tract. Symptoms may include sore throat, coughing, and shortness of breath. In severe cases, ulceration and perforation of nasal septum may occur. Chronic toxicity: Prolonged contact may cause conjunctivitis, ulceration and corneal abnormalities. Prolonged skin exposure may cause dermatitis and eczema. Chronic overexposure to this product may cause liver and kidney damage, anemia and other blood abnormalities.
B. Component Analysis - LD ₅₀ /LC ₅₀ Copper Sulfate Pentahydrate (CAS 7758-99-8)	Oral-rat LD ₅₀ = 330 m/kg Intraperitoneal-rat LD ₅₀ = 20 mg/kg Subcutaneous-rat LD ₅₀ = 43 mg/kg Dermal-rat LD ₅₀ = 50 mg/kg Inhalation-rat LC ₅₀ = .2.95 mg/L
C. Component Analysis – TDLo/LDLo Copper Sulfate Pentahydrate (CAS 7758-99-8)	Oral-man LDLo = 857 mg/kg Oral-Human TDLo = 272 mg/kg Liver, kidney, blood effects Oral-Human LDLo = 50 mg/kg Behavior: somnolence (general depressed activity) Kidney, urethra, bladder: changes in tubules (including acute renal failure, acute tubular necrosis) Blood: hemorrhage Oral-Human TDLo = 11 mg/kg Gastrointestinal: gastritis, hypermotility, diarrhea, nausea or vomiting

Identity: Product Name: Acidified Copper Sulfate PRODUCT NUMBER: EZP001 Version SDS-001-CVE-FV 1.0

PAGE 9 0F 12

ACUTE AND CHRONIC TOXICITY FOR COPPER SULFATE PENTAHYDRATE (Continued)				
Carcinogenicity A. General Product Information	Copper Sulfate Pentahydrate (CAS 7758-99-8) Cytogenetic Analysis – Rat/ast = 300 mg/kg Copper dusts and mists as Cu (CAS 7440-50-8) EPA: EPA-D (Not Classifiable as to Human Carcinogenicity – inadequate human and animal evidence of carcinogenicity or no data available. This product does not contain any carcinogens or potential carcinogens as listed by OSHA. IARC, or NTP.			
Epidemiology	No information available			
Neurotoxicity	Has not been identified			
Mutagenicity	Human and animal mutation data are available for Copper Sulfate Pentahydrate; these data were obtained during clinical studies on specific human and animal tissues exposed to high doses of this compound.			
Teratogenicity	There are no reports of teratogenicity in humans. Animal studies indicate that deficiency or excess of copper in the body can cause significant harm to developing embryos. The net absorption of copper is limited and toxic levels are unlikely from industrial exposure.			
Other Toxicological Information	Individuals with Wilson's disease are unable to metabolize copper. Thus, persons with pre-existing Wilson's disease may be more susceptible to the effects of overexposure to this product.			

SECTION XII ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION				
Ecotoxicity A. General Product Information B. Ecotoxicity Copper Sulfate Pentahydrate (77-99-8)	Harmful to aquatic life in very low concentrations. Copper Sulfate Pentahydrate is toxic to fish and marine organisms with long lasting effects.			
Environmental Fate	If released to soil copper sulfate may leach to groundwater, be partly oxidized or bind to humic materials, clay or hydrous oxides of iron and manganese. In water, it will bind to carbonates as well as humic materials, clay and hydrous oxides of iron and manganese. Copper is accumulated by plants and animals, but it does not appear to bio magnify from plants to animals.			
Algae/aquatic plants				
Fish	0.66 – 01.15 mg/l 96 h <i>Lepomis machochirus</i> (bluegill) LC ₅₀ semi-static 0.96 – 1.8 mg/l 96 h <i>Lepomis machochirus</i> (bluegill) LC ₅₀ static 0.17478 – 0.165 mg/l 96 h <i>Oncorhynchus mykiss</i> LC ₅₀ flow-through			
Toxicity to microorganisms				
Crustacea	0.147 – 0.227 mg/l 48 h <i>Daphnia magna</i> EC ₅₀ static			

PRODUCT NUMBER: EZP001 Version SDS-001-CVE-FV 1.0

PAGE 10 0F 12

ECOLOGICAL INFORMATION (Continued)			
Summary of Effects	Do not apply directly to water, or areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by disposing of equipment wash water. Apply this product only as specified on the label.		

SECTION XIII DISPOSAL CONSIDERATIONS

DISPOSAL CONSIDERATIONS			
US EPA Waste Number			
A. General Product	This product contains copper sulfate which is a marine pollutant		
Description			
B. Component Waste	No EPA Waste Numbers are applicable for this product's		
Numbers	components		
California Hazardous Waste	Copper sulfate pentahydrate (CAS 7758-99-8)		
Status	Toxic		
Disposal Instructions	Do not reuse product containers. Do not pour unused product		
	down the drain on the ground. Dispose of product residues,		
	containers, packaging, and wastes according to all federal, state,		
	and local health and environmental regulations.		

SECTION XIV TRANSPORT INFORMATION

TRANSPORT INFORMATION			
US DOT for small package size (less than 10 lbs.) shipped by ground transportation. Not by water or air.		Not Regulated (This product package size is 1 lb.)	
US DOT	**************************************	UN 3077, Environmentally Hazardous Substance, Solid, N.O.S. (Copper (II) Sulfate, Pentahydrate), 9, PG III Marking: "Marine Pollutant" when shipping ground greater than 882 lbs. (400 kg) or any quantity by water.	
UN / IMDG / IATA classification	9	UN 3077, Environmentally Hazardous Substance, Solid, N.O.S. (Copper (II) Sulfate, Pentahydrate), 9, PG III	
Freight classification			

PAGE 11 0F 12

SECTION XV REGULATORY INFORMATION

Identity:

	USA REGULATORY	INFORMATIO	N		
Clean Water Act	Copper Sulfate Pentahydrate (CAS 7758-99-8)				
	Priority and Toxic Pollutant				
SARA Section 313 (40 CFR 372.65)	Copper (II) Sulfate (CAS 7758-98-7)				
CERCLA (40 CFR 302.4)	Coppor (II) S	Sulfate (CAS 77	50 00 7)		
GERGLA (40 GFR 302.4)		0 lbs. (4.54 kg)	00-90-7)		
SARA 311/312 Tier II Hazard	Acute health	hazard:	Yes		
Ratings	Chronic hea		No		
Copper Sulfate Pentahydrate	Fire hazard:		No		
(CAS 7758-99-8)	Sudden rele	ase of pressure	hazard: No		
	Reactivity ha	azard:	No		
SARA 311/312 Tier II Hazard	Acute health	hazard:	Yes		
Ratings	Chronic hea	Ith hazard:	Yes		
Citric Acid (CAS 77-92-9)	Fire hazard:		No		
	Sudden rele	ase of pressure	hazard: No		
	Reactivity ha	azard:	No		
	State Regu	ulations			
California Proposition 65	No				
State Hazardous Substance	CA	Yes	MN	No	
Lists	FL	No	NJ	Yes	
Copper (CAS 7440-50-8)	MA	Yes	PA	Yes	
State Hazardous Substance	CA	No	MN	No	
Lists	FL	No	NJ	Yes	
Copper Sulfate pentahydrate (CAS 7758-99-8)	MA	No	PA	Yes	
Citric Acid (CAS 77-92-9)	CA	No	MN	No	
	FL	No	NJ	Yes	
	MA	No	PA	Yes	
	Chemical Inv				
Copper Sulfate Pentahydrate (CAS 7758-99-8)	TSCA	Accepted a 7758-98-7	Accepted as hydrate of Copper Sulfate (CAS 7758-98-7)		
,	DSL	No	•		
	EINECS	Yes			
Citric Acid (CAS 77-92-9))	TSCA	Yes			
	DSL	Yes	Yes		
	EINECS	Yes			

REGULATORY INFORMATION			
WHMIS Copper Sulfate Pentahydrate (CAS 7758-99-8)			
Canadian Hazardous Minimum concentration 1%			
Products Act Disclosure List\	t\ Citric Acid (CAS 77-92-9)		
	Minimum concentration 1% item 409 (80)		

PRODUCT NUMBER: EZP001 Version SDS-001-CVE-FV 1.0

PAGE 12 0F 12

SECTION XVI OTHER INFORMATION

NFPA / HMIS Ratings USA				
NFF	PA	HMIS		
2	Health	2 Health		
1	Flammability	1	Flammability	
0	Instability	0	Reactivity	
	Special	В	Protective	
	Hazards		Equipment	

Version SDS-001-CVE-FV 1.0 Date Prepared: 7-24-2015 SF Driggers

Supersedes: 5-24-2010

Reason: revised OSHA SDS format.

Notice to the reader: To the best of our knowledge the information contained herein is accurate. However, neither the manufacturer nor the distributor named assumes any liability for the accuracy or completeness of the information contained herein. Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used according to label directions and with caution. Although certain hazards are described herein, no guarantee is made that these are only hazards that exist.